Issuing Date No data available Revision Date 2-March-2016 Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name S-11000 Ure-Kote Series

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Use Only

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Arizona Polymer Flooring, Inc.

Supplier Address 2705 Via Orange Way Suite B

Spring Valley

CA 91978 US

Supplier Phone Number Phone:619-401-8282

Fax:619-401-8288

Emergency telephone number

Company Emergency Phone

Number

800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Carcinogenicity | Category 2 |
|--|------------|
| Specific target organ toxicity (repeated exposure) | Category 2 |

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Hazard Statements

Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure



Appearance Color Physical state Liquid Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store in a cool, dry place away from incompatible materials.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

30.667 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

.

| Chemical Name | CAS No | Weight-% | Trade Secret |
|-----------------------|-------------|----------|--------------|
| Supplier Trade Secret | Proprietary | 5 - 10 | * |
| Supplier Trade Secret | Proprietary | 1 - 5 | * |
| Supplier Trade Secret | Proprietary | 1 - 5 | * |
| Supplier Trade Secret | Proprietary | 1 - 5 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products

Carbon oxides. Carbon monoxide. Carbon dioxide (CO₂).

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment

as required. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Store in a cool, dry place aware from incompatible products.

Incompatible Products Acid chlorides. Acid anhydrides. Chloroformates. Strong oxidizing agents. Strong reducing

agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|---|---|---|
| Supplier Trade Secret | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| | | (vacated) TWA: 10 mg/m ³ total | |
| | | dust | |
| Supplier Trade Secret | Ceiling: 100 mg/m ³ aerosol only | (vacated) Ceiling: 50 ppm | |
| | | (vacated) Ceiling: 125 mg/m ³ | |
| Supplier Trade Secret | TWA: 5 mg/m ³ respirable | TWA: 10 mg/m ³ fume | IDLH: 2500 mg/m ³ Fe dust and |
| | fraction | TWA: 15 mg/m ³ total dust | fume |
| | | TWA: 5 mg/m ³ respirable | TWA: 5 mg/m ³ Fe dust and fume |
| | | fraction | |
| | | (vacated) TWA: 10 mg/m ³ fume | |
| | | and total dust Iron oxide | |
| | | (vacated) TWA: 5 mg/m ³ | |
| | | respirable fraction regulated | |
| | | under Rouge | |
| Supplier Trade Secret | STEL: 15 ppm | (vacated) TWA: 10 ppm | Ceiling: 4 ppm 15 min |
| | TWA: 10 ppm | (vacated) TWA: 30 mg/m ³ | Ceiling: 15 mg/m ³ 15 min |
| | | (vacated) STEL: 20 ppm | |
| | | (vacated) STEL: 60 mg/m ³ | |
| Supplier Trade Secret | TWA: 3 mg/m ³ inhalable fraction | TWA: 3.5 mg/m ³ | IDLH: 1750 mg/m ³ |
| | | (vacated) TWA: 3.5 mg/m ³ | TWA: 3.5 mg/m ³ |
| | | | TWA: 0.1 mg/m³ Carbon black in |
| | | | presence of Polycyclic aromatic |
| | | | hydrocarbons PAH |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

None known

None known

None known

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical stateLiquidAppearanceColorOdorMild

Color No information available Odor Threshold No information available

Remarks Method Property Values pН 6.3 None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure

No data available
No data available

Vapor density No data available None known **Specific Gravity** 1.27 None known **Water Solubility** Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known

Kinematic viscosityNo data availableDynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Other Information

Softening Point

VOC Content (%)

Particle Size

No data available

No data available

No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Acid chlorides. Acid anhydrides. Chloroformates. Strong oxidizing agents. Strong reducing agents.

Hazardous Decomposition Products

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------|---------------------|-----------------------|--|
| Supplier Trade Secret | > 10000 mg/kg (Rat) | = | - |
| Supplier Trade Secret | = 4000 mg/kg (Rat) | - | - |
| Supplier Trade Secret | > 10000 mg/kg (Rat) | - | - |
| Supplier Trade Secret | = 2920 mg/kg (Rat) | = 2320 mg/kg (Rabbit) | = 11400 mg/m ³ (Rat) 4 h = 11.4 mg/L (Rat) 4 h |
| Supplier Trade Secret | > 15400 mg/kg (Rat) | > 3 g/kg (Rabbit) | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------------|-------|----------|-----|------|
| Supplier Trade Secret | | Group 2B | | Х |
| Supplier Trade Secret | | Group 3 | | |
| Supplier Trade Secret | A3 | Group 2B | | X |
| Supplier Trade Secret | А3 | Group 2B | | X |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Based on

classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

Chronic Toxicity No known effect based on information supplied. Contains a known or suspected

carcinogen. Avoid repeated exposure. Prolonged exposure may cause chronic effects. Titanium dioxide has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly

carcinogenic to humans (Group 2B) by inhalation.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 9,144.00 mg/kg ATEmix (inhalation-dust/mist) 84.80 mg/l ATEmix (inhalation-vapor)

622.00 ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------|---|---|----------------------------|-------------------------------|
| Supplier Trade Secret | 96h EC50: 6500 - 13000 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 41000 mg/L (Oncorhynchus mykiss) 96h LC50: 14 - 18 mL/L (Oncorhynchus mykiss) 96h LC50: = 40761 mg/L (Oncorhynchus mykiss) 96h LC50: = 27540 mg/L (Lepomis macrochirus) 96h LC50: = 16000 mg/L (Poecilia reticulata) 96h LC50: 40000 - 60000 mg/L (Pimephales promelas) | EC50 = 620.0 mg/L 30 min | 48h EC50: = 46300 mg/L |
| Supplier Trade Secret | | 96h LC50: = 14 mg/L (Pimephales promelas) 96h LC50: 15.04 - 21.54 mg/L (Lepomis macrochirus) 96h LC50: 26.1 - 36.63 mg/L (Poecilia reticulata) | EC50 = 2080 mg/L 5 min | 24h EC50: = 52 mg/L |
| Supplier Trade Secret | | | | 24h EC50: > 5600 mg/L |

<u>Persistence and Degradability</u> No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|-----------------------|---------|
| Supplier Trade Secret | -1.93 |
| Supplier Trade Secret | 0.73 |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated PackagingDispose of contents/containers in accordance with local regulations.

US EPA Waste Number U404 U154

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|-----------------------|----------------------------|
| Supplier Trade Secret | Toxic |
| | Ignitable |

14. TRANSPORT INFORMATION

 DOT
 NOT REGULATED

 Proper Shipping Name
 NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

 IATA
 Not regulated

 Proper Shipping Name
 NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------------|--------|----------|----------------------------------|
| Supplier Trade Secret - | | 1 - 5 | 1.0 |
| Supplier Trade Secret - | | 1 - 5 | 0.1 |

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardYesFire HazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Supplier Trade Secret | 5000 lb | | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|-----------------------|--------------------------|------------------------------------|--|
| Supplier Trade Secret | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Supplier Trade Secret | 5000 lb | 5000 lb | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|-------------------------|---------------------------|
| Supplier Trade Secret - | Carcinogen |
| Supplier Trade Secret - | Carcinogen |
| Supplier Trade Secret - | Carcinogen |
| Supplier Trade Secret - | Developmental |

U.S. State Right-to-Know Regulations

.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-----------------------|------------|---------------|--------------|--------------|----------|
| Supplier Trade Secret | Х | Х | Χ | | |
| Supplier Trade Secret | Х | Х | Х | Х | Х |
| Supplier Trade Secret | Х | Х | Х | | |
| Supplier Trade Secret | Х | X | Х | Х | Х |
| Supplier Trade Secret | X | X | Χ | | |

| Supplier Trade Secret | X | X | X | X |
|-----------------------|---|---|---|---|
| | | | | |

International Regulations

Mexico

National occupational exposure limits

| Component | Carcinogen Status | Exposure Limits |
|-----------------------|-------------------|---------------------------------------|
| Supplier Trade Secret | | Mexico: TWA= 10 mg/m ³ |
| (5-10) | | Mexico: STEL= 20 mg/m ³ |
| Supplier Trade Secret | | Mexico: Ceiling 100 mg/m ³ |
| (1-5) | | |
| Supplier Trade Secret | | Mexico: TWA 5 mg/m ³ |
| (1-5) | | Mexico: STEL 10 mg/m ³ |
| Supplier Trade Secret | A3 | Mexico: TWA 10 ppm |
| (1-5) | | Mexico: TWA 30 mg/m ³ |
| | | Mexico: STEL 20 ppm |
| | | Mexico: STEL 60 mg/m ³ |
| Supplier Trade Secret | | Mexico: TWA 3.5 mg/m ³ |
| (0.1 - 1) | | Mexico: STEL 7 mg/m ³ |

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 1* Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 2-March-2016

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet